

**BOQ FOR TOILET REPAIRING AND RENOVATION WORK AT SNBC HOSTEL,CU**

SL NO	ITEM OF WORK	UNIT	QTY	RATE	AMOUNT	AMOUNT IN LETTER
	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.					
1	In cement mortar	CUM	4.25			
	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.					
2		CUM	3.25			
	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :					
3	Of area 3 sq. metres and below	each	8.00			
	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead :					
4	Of area 3 sq. metres and below	each	8.00			
	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.					
5						
	For thickness of tiles 10 mm to 25 mm	SQM	80.72			

*Sam*

*HV*

*AM*



6	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	SQM	94.27			
7	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in-Charge.	each	8.00			
	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.					
8	With cement mortar 1:4 (1cement: 4 coarse sand)	SQM	94.27			
	Brick work with common burnt clay modular bricks of class designation 7.5 in foundation and plinth in:					
9	Cement mortar 1:4 (1 cement : 4 coarse sand)	CUM	3.52			
	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.					
10	Thermo-Mechanically Treated bars of grade Fe-500D or more.	KG	154.00			







11	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:					
	1:1½:3 (1 cement : 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	CUM	5.67			

Sam

✓

✓



12	<p>Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand &amp; manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only .</p> <p>Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.</p>					
	Glazed Vitrified tiles Matt/Antiskid finish of size					
	Size of Tile 600 x 600 mm	SQM	13.15			
Total						
Rupees.....						
.....						

N.B Rates are to be quoted inclusive of GST



